

MESSAGE NO: 1197210 MESSAGE DATE: 07/16/2001

MESSAGE STATUS: Active CATEGORY: Antidumping
TYPE: REV-Revocation PUBLIC ☒ NON-PUBLIC ☐
SUB-TYPE:

FR CITE: FR FR CITE DATE:

REFERENCE
MESSAGE #
(s):

CASE #(s): A-588-826

EFFECTIVE DATE: COURT CASE #:

PERIOD OF REVIEW: TO

PERIOD COVERED: 06/27/2001 TO

Notice of Lifting of Suspension Date:

TO: { Directors Of Field Operations, Port Directors }

FROM: { Director AD/CVD & Revenue Policy & Programs }

RE: REVOCATION OF ANTIDUMPING DUTY ORDER IN PART ON CERTAIN
CORROSION-RESISTANT CARBON STEEL PRODUCTS FROM JAPAN, (A-588-826)

MESSAGE NO: 1197210

DATE: 07 16 2001

CATEGORY: ADA

TYPE: REV

REFERENCE:

REFERENCE DATE:

CASES: A - 588 - 826

- -

- -

- -

- -

- -

PERIOD COVERED: 06 27 2001 TO

LIQ SUSPENSION DATE:

TO: DIRECTORS OF FIELD OPERATIONS
PORT DIRECTORS

FROM: DIRECTOR, SPECIAL ENFORCEMENT

RE: REVOCATION OF ANTIDUMPING DUTY ORDER IN PART ON
CERTAIN CORROSION-RESISTANT CARBON STEEL PRODUCTS
FROM JAPAN, (A-588-826)

1. AS A RESULT OF A NOTIFICATION FROM THE PETITIONERS,
BETHLEHEM STEEL CORPORATION, ISPAT INLAND STEEL, LTV STEEL
COMPANY, INC., U.S. STEEL GROUP, A UNIT OF USX CORPORATION, AND
NATIONAL STEEL CORPORATION, THAT THEY ARE NO LONGER INTERESTED IN
CARBON STEEL FLAT PRODUCTS MEASURING 0.975 MILLIMETERS
IN THICKNESS AND 8.8 MILLIMETERS IN WIDTH CONSISTING OF CARBON
STEEL COIL (SAE 1012) CLAD WITH A TWO-LAYER LINING, THE FIRST
LAYER CONSISTING OF A COPPER-LEAD ALLOY POWDER THAT IS BALANCE
COPPER, 9 PERCENT-11 PERCENT TIN, 9 PERCENT-11 PERCENT LEAD,

MAXIMUM 1 PERCENT OTHER MATERIALS AND MEETING THE REQUIREMENTS OF SAE STANDARD 792 FOR BEARING AND BUSHING ALLOYS, THE SECOND LAYER CONSISTING OF 13 PERCENT-17PERCENT CARBON, 13 PERCENT-17 PERCENT AROMATIC POLYESTER, WITH A BALANCE (APPROX. 66 PERCENT-74 PERCENT) OF POLYTETRAFLUORETHYLENE ("PTFE"); AND CARBON STEEL FLAT PRODUCTS MEASURING 1.02 MILLIMETERS IN THICKNESS AND 10.7 MILLIMETERS IN WIDTH CONSISTING OF CARBON STEEL COIL (SAE 1008) WITH A TWO-LAYER LINING, THE FIRST LAYER CONSISTING OF A COPPER-LEAD ALLOY POWDER THAT IS BALANCE COPPER, 9 PERCENT- 11 PERCENT TIN, 9 PERCENT-11 PERCENT LEAD, LESS THAN 0.35 PERCENT IRON, AND MEETING THE REQUIREMENTS OF SAE STANDARD 792 FOR BEARING AND BUSHING ALLOYS, THE SECOND LAYER CONSISTING OF 45 PERCENT-55 PERCENT LEAD, 3 PERCENT-5 PERCENT MOLYBDENUM DISULFIDE, WITH A BALANCE (APPROX. 40 PERCENT-52 PERCENT) OF POLYTETRAFLUORETHYLENE ("PTFE") SUBJECT TO THE ANTIDUMPING DUTY ORDER ON CERTAIN CORROSION-RESISTANT CARBON STEEL FLAT PRODUCTS FROM JAPAN.

THE DEPARTMENT OF COMMERCE HAS REVOKED THIS ANTIDUMPING DUTY

ORDER IN PART WITH RESPECT TO CARBON STEEL FLAT PRODUCTS MEASURING 0.975 MILLIMETERS IN THICKNESS AND 8.8 MILLIMETERS IN WIDTH CONSISTING OF CARBON STEEL COIL (SAE 1012) CLAD WITH A TWO-LAYER LINING, THE FIRST LAYER CONSISTING OF A COPPER-LEAD ALLOY POWDER THAT IS BALANCE COPPER, 9 PERCENT-11 PERCENT TIN, 9 PERCENT-11 PERCENT LEAD, MAXIMUM 1 PERCENT OTHER MATERIALS AND MEETING THE REQUIREMENTS OF SAE STANDARD 792 FOR BEARING AND BUSHING ALLOYS, THE SECOND LAYER CONSISTING OF 13 PERCENT-17 PERCENT CARBON, 13 PERCENT-17 PERCENT AROMATIC POLYESTER, WITH A BALANCE (APPROX. 66 PERCENT-74 PERCENT) OF POLYTETRAFLUORETHYLENE ("PTFE"); AND CARBON STEEL FLAT PRODUCTS MEASURING 1.02 MILLIMETERS IN THICKNESS AND 10.7 MILLIMETERS IN WIDTH CONSISTING OF CARBON STEEL COIL (SAE 1008) WITH A TWO-LAYER LINING, THE FIRST LAYER CONSISTING OF A COPPER-LEAD ALLOY POWDER THAT IS BALANCE COPPER, 9 PERCENT- 11 PERCENT TIN, 9 PERCENT-11 PERCENT LEAD, LESS THAN 0.35 PERCENT IRON, AND MEETING THE REQUIREMENTS OF SAE STANDARD 792 FOR BEARING AND BUSHING ALLOYS, THE SECOND LAYER CONSISTING OF 45 PERCENT-55 PERCENT

LEAD, 3 PERCENT-5 PERCENT MOLYBDENUM DISULFIDE, WITH A BALANCE (APPROX. 40 PERCENT-52 PERCENT) OF POLYTETRAFLUORETHYLENE ("PTFE") AND PUBLISHED THE REVOCATION IN THE FEDERAL REGISTER ON MARCH 15, 2001.

2. THEREFORE, CUSTOMS IS DIRECTED TO TERMINATE THE SUSPENSION OF LIQUIDATION FOR ALL SHIPMENTS OF CARBON STEEL FLAT PRODUCTS MEASURING 0.975 MILLIMETERS IN THICKNESS AND 8.8 MILLIMETERS IN WIDTH CONSISTING OF CARBON STEEL COIL (SAE 1012) CLAD WITH A TWO-LAYER LINING, THE FIRST LAYER CONSISTING OF A COPPER-LEAD ALLOY POWDER THAT IS BALANCE COPPER, 9 PERCENT-11 PERCENT TIN, 9 PERCENT-11 PERCENT LEAD, MAXIMUM 1 PERCENT OTHER MATERIALS AND MEETING THE REQUIREMENTS OF SAE STANDARD 792 FOR BEARING AND BUSHING ALLOYS, THE SECOND LAYER CONSISTING OF 13 PERCENT-17 PERCENT CARBON, 13 PERCENT-17 PERCENT AROMATIC POLYESTER, WITH A BALANCE (APPROX. 66 PERCENT- 74 PERCENT) OF POLYTETRAFLUORETHYLENE ("PTFE"); AND CARBON STEEL FLAT PRODUCTS MEASURING 1.02 MILLIMETERS IN THICKNESS AND 10.7 MILLIMETERS IN WIDTH CONSISTING OF CARBON STEEL COIL (SAE 1008) WITH A TWO-LAYER LINING, THE FIRST LAYER CONSISTING OF A COPPER-LEAD ALLOY POWDER THAT IS BALANCE COPPER, 9 PERCENT-11 PERCENT TIN, 9 PERCENT-11 PERCENT LEAD, LESS THAN 0.35 PERCENT IRON, AND MEETING THE REQUIREMENTS OF SAE STANDARD 792 FOR BEARING AND BUSHING ALLOYS, THE SECOND LAYER CONSISTING OF 45 PERCENT-55 PERCENT LEAD, 3 PERCENT-5 PERCENT MOLYBDENUM DISULFIDE, WITH A BALANCE (APPROX. 40 PERCENT-52 PERCENT) OF POLYTETRAFLUORETHYLENE ("PTFE") ENTERED, OR WITHDRAWN FROM WAREHOUSE, FOR CONSUMPTION ON OR AFTER MARCH 15, 2001.

ALL ENTRIES OF CARBON STEEL FLAT PRODUCTS MEASURING 0.975 MILLIMETERS IN THICKNESS AND 8.8 MILLIMETERS IN WIDTH CONSISTING OF CARBON STEEL COIL (SAE 1012) CLAD WITH A TWO-LAYER LINING, THE

FIRST LAYER CONSISTING OF A COPPER-LEAD ALLOY POWDER THAT IS BALANCE COPPER, 9 PERCENT-11 PERCENT TIN, 9 PERCENT-11 PERCENT LEAD, MAXIMUM 1 PERCENT OTHER MATERIALS AND MEETING THE REQUIREMENTS OF SAE STANDARD 792 FOR BEARING AND BUSHING

ALLOYS, THE SECOND LAYER CONSISTING OF 13 PERCENT-17 PERCENT CARBON, 13 PERCENT-17 PERCENT AROMATIC POLYESTER, WITH A BALANCE (APPROX. 66 PERCENT-74 PERCENT) OF POLYTETRAFLUORETHYLENE ("PTFE"); AND CARBON STEEL FLAT PRODUCTS MEASURING 1.02 MILLIMETERS IN THICKNESS AND 10.7 MILLIMETERS IN WIDTH CONSISTING OF CARBON STEEL COIL (SAE 1008) WITH A TWO-LAYER LINING, THE FIRST LAYER CONSISTING OF A COPPER-LEAD ALLOY POWDER THAT IS BALANCE COPPER, 9 PERCENT-11 PERCENT TIN, 9 PERCENT-11 PERCENT LEAD, LESS THAN 0.35 PERCENT IRON, AND MEETING THE REQUIREMENTS OF SAE STANDARD 792 FOR BEARING AND BUSHING ALLOYS, THE SECOND LAYER CONSISTING OF 45 PERCENT-55 PERCENT LEAD, 3 PERCENT-5 PERCENT MOLYBDENUM DISULFIDE, WITH A BALANCE (APPROX. 40 PERCENT-52 PERCENT) OF POLYTETRAFLUORETHYLENE ("PTFE") THAT WERE SUSPENDED ON OR AFTER AUGUST 1, 1998 SHOULD BE LIQUIDATED WITHOUT REGARD TO ANTIDUMPING DUTIES (I.E., RELEASE ALL BONDS AND REFUND ALL CASH DEPOSITS).

3. THE ASSESSMENT OF ANTIDUMPING DUTIES BY THE CUSTOMS SERVICE ON ENTRIES OF THIS MERCHANDISE IS SUBJECT TO THE PROVISIONS OF SECTION 778 OF THE TARIFF ACT 1930. SECTION 778 REQUIRES THAT CUSTOMS PAYS INTEREST ON OVERPAYMENTS AND ASSESS INTEREST ON UNDERPAYMENTS OF THE REQUIRED AMOUNTS DEPOSITED AS ESTIMATED ANTIDUMPING DUTIES. THE INTEREST PROVISIONS ARE NOT APPLICABLE TO CASH OR BONDS POSTED AS ESTIMATED ANTIDUMPING DUTIES BEFORE THE DATE OF PUBLICATION OF THE ANTIDUMPING DUTY ORDER. INTEREST SHALL BE CALCULATED FROM THE DATE OF PAYMENT OF ESTIMATED ANTIDUMPING DUTIES THROUGH THE DATE OF LIQUIDATION. THE RATE AT WHICH SUCH INTEREST IS PAYABLE IS THE RATE IN EFFECT UNDER SECTION 6621 OF THE INTERNAL REVENUE CODE OF 1954 FOR SUCH PERIOD.

4. IF THERE ARE ANY QUESTIONS REGARDING THIS MATTER BY CUSTOMS OFFICERS, PLEASE CONTACT VIA E-MAIL, THROUGH THE APPROPRIATE SUPERVISORY CHANNELS, OTHER GOVERNMENT AGENCY LIAISON, USING THE ATTRIBUTE "HQ OAB." IMPORTING PUBLIC AND INTERESTED PARTIES SHOULD CONTACT CATHERINE BERTRAND AT 202-482-3207, AD/CVD ENFORCEMENT, IMPORT ADMINISTRATION, INTERNATIONAL TRADE ADMINISTRATION, DEPARTMENT OF COMMERCE.

5. THERE ARE NO RESTRICTIONS ON THE RELEASE OF THIS INFORMATION.

PAUL SCHWARTZ

NOTE: THIS MESSAGE WAS INADVERTENTLY REMOVED FROM ADIL SO HAS

BEEN REPOSTED TO ADIL ON DECEMBER 3, 2009. THE ORIGINAL MESSAGE WAS SENT TO DIRECTORS OF FIELD OPERATIONS, PORT DIRECTORS, NOT DIRECTORS, FIELD OPERATIONS AND PORT DIRECTORS. DIRECTOR, TRADE ENFORCEMENT & CONTROL IS NOW SHOWN AS DIRECTOR, SPECIAL ENFORCEMENT. THE BALANCE OF THE TEXT AND INFORMATION REMAINS UNCHANGED AND MATCHES THE MESSAGE THAT STILL APPEARS ON THE ADD/CVD SEARCH APPLICATION ON CBP.GOV.

Company Details

*Party Indicator Value:

I = Importer, M = Manufacturer, E = Exporter, S = Sold To Party